Effective June 1, 2022



WARM SEASON PEREN	NIAL (	GRAS	SES	
	Wt.		Seed Rate	Comment
Gaucho Bermudagrass	25	СТ	8 to 12	*LOW STOCK* A cold tolerant blend touted for it's early green up and weed supression ability. Well drained soils.
Chilly Verde Bermudagrass	50	CT.	8 to 12	Coated turf variety for lawns and landscapes.
Pensacola Bahiagrass	50	CT	12 to 15	An early maturing variety that comes in more quickly than TifQuick but doesn't last into the fall as well.
TifQuick Bahiagrass	40	UT	12 to 15	A newer variety that has slightly higher yields. Notable spring quickness.
WARM SEASON PEREN	NIAL L	EGU	MES	
AU Grazer Sericea Lespedeza+	50	UT	20 to 25	Natural dewormer for small ruminants, needs to be rotationally grazed
Common Sericea	<del>50</del>	UT	20 to 25	Natural dewormer for small ruminants, needs to be rotationally grazed.
WARM SEASON ANNUA	L GRA	SSE	S	, and the state of
Mixtures				
Ray's Crazy Summer+	50	Т	40 to 60	Iron Clay Peas, Sorghum Sudan, Millet, Brassicas
SE Summer Mix+	50	Т	40 to 60	
Summer Feast	50	UT	25 to 35	Cowpeas, Sorghum Sudan, Sunn Hemp, Buckwheat and Brassicas.  Hybrid pearl millet and hybrid brassica.
Summer Breeze+	50	Т	40 to 60	Iron & Clay cowpea & sorghum sudan
Summer Solar+	50	UT	40 to 60	Iron & Clay cowpea, buckwheat, sunn hemp, sunflower
Millet/Crabgrass Mixture	50	CT	20 to 30	Browntop Millet/coated Red River Crabgrass mixture for easy spreading and quick cover-
Warm Diversity Mix	50	<del>CT</del>	<del>15 to 20</del>	A 'catch all' mix with crabgrass, bermuda, buckwheat, browntop millet, and annual lespedeza
A SHALADA MARIEL DAMA ACT COMME				garage and a second sec
Forage Corn				
BMR 84 Grazing Corn	<del>50</del>	<del>UT</del>	<del>20-25</del>	One crop summer annual grazing.
				<b>Y Y Y Y</b>
Forage Sorghum				Single cut ideal for silage and other preserved hays.
	<del>U</del> I	U∓	80k to	A mid season dwarf BMR hybrid. Expect 105-110 days to soft dough stage.
ADV F7232	50	S	100k/A	
		SS		
SEA 905 FS	: 50 :	S	80k to 100k/A	*LOW STOCK* A short season dwarf BMR hybrid. Expect 85-95 days to sof dough stage.
	ļ	SS		
AF 7401	50	UT	80k to	A full season dwarf BMR hybrid. Expect 110-115 days to soft dough stage.
AI 7401		S	100k/A	
	1	SS		
ADV F7424 (NEW)	50	UT S	80k to	A full cooper duraf DMD bubble For 1442 445
(included)	90	<del>8</del>	100k/A	A full season dwarf BMR hybrid. Expect 110 115 days to soft dough stage. APHIX
		<del>33</del>		
Fiber Pro 50	50	S	80 to 100k/A	The shortest season BMR dwarf in the lineup. 85-90 days. Compare to 7102
		UT		
AF7201	50	S	80 to 100k/A	Mid season, non dwarf. Best for mow/wilt.
		UT		
ADV 8322 APHIX	50	S	100	Non BMR with good disease resistance.
		SS	to120k/A	
ADV 504041C		S	100	
ADV F8484IG	50	SS	to120k/A	First in it's class- iGrowth forage sorghum. Heavy leaf and great quality.
ΛΕ 0204		S	101	
AF 8301	<del>50</del>	SS	to120k/A	Non BMR.
		***************************************		
Grain Sorghum				

Effective June 1, 2022



ADV G3247 APHIX	50	SS SS	80 to 100K/A	A 73 day bronze grain, great yields dryland and irrigated. APHIX.
	Wt.		Seed Rate	Comment
ADV G1203 APHIX	50	S SS	80 to 100K/A	
<del>G77 (NEW)</del>	<del>50</del>	\$ \$\$	80 to 100K/A	71-75 day hybrid with bronze grain. Aphid Axe
Wildlife Grain Sorghum	<del>50</del>	Ŧ	100 to 120K/A	·
Sorghum Sudan				The second of th
AS-6401	<del>50</del>	T/UT	25 to 50	Very disease resistant, quick regrowth, and drought telerant.
ADVS 6218	<del>50</del>	Ŧ	25 to 50	A medium early maturity variety with good digestibility. Compare to 6201.
AS 6501	50	Т	25 to 50	PPS BMR. Extremely drought tolerant.
ADV S 6520	50	Т	25 to 50	A BMR, photoperiod sensitive variety.
ADV 6404	50	T/UT	25 to 50	A BMR dwarf sorghum sudan (replacing 6402 in the future)
KingFisher Sugar Pro 55	50	T/ <del>UT</del> ORG	25 to 50	An exclusive hybrid that has a dry stalk to improve dry down.
Heavyweight with AphidAxe	50	T/UT	25 to 50	A dwarf, BMR sorghum sudan with AphidAxe (sugarcane aphid tolerance)
Sweet B (NEW)	50	T/UT	25 to 50	BMR gene 6. (NEW)
Nutri Pro PPS (NEW)	50	T/UT	25 to 50	Photo Period Sensitive with BMR 6. Great agrenomics. (NEW)
Reliant (NEW)	50	Ŧ	25 to 50	Basic non-bmr with tough agronomic package. (NEW)
SS 275 with AphidAxe	50	T/UT	25 to 50	A non BMR sorghum sudan with AphidAxe (sugarcane aphid tolerance). Great for dry cows.
	L	.2		
Sudangrass				
AS 9301	50	T/UT	25 to 35	Thinner stalks than sorghum sudan makes drydown easy.
AS 9302	50	UT	25 to 35	A dwarf variety that bounces back from grazing or cutting with ease.
PF 95-1	50	T	25 to 35	A BMR sudangrass that is photoperiod sensitive.
Piper	50	₩Ŧ	25 to 35	SUPER old sudangrass that is thin stemmed, very small seeds.
Millet				
Prime 360	50	СТ	15 to 25	*LOW STOCK* Absorbent Coating with Apron for quick germination and early vigor.
Prime 360	50	UT	15 to 25	A BMR dwarf millet with excellent tillering and disease resistance.
Hybrid-Pearl-Millet	<del>50</del>	Ŧ	15 to 25	Conventional hybrid pearl millet Like Tifleaf 3.
<u>-eafy</u> T	<del>50</del>	T/UT	15 to 25	A dwarf millet with exceptionally wide leaves.
Browntop	50	UT		-
F	2K	UT	00 10 00	A short millet best for attracting birds or for a one cut system.
Japanese Millet	50	UT	30 to 50	Cover crop/grazing millet. Great for wildlife
Proso	<del>50</del>	UŦ	10 to 25	A widely adapted millet. Great for wildife/birds.
Crabgrass				
SE Red River Crabgrass	25	<del>CT</del>	5 to 8	Red River crabgrass coated for ease with broadcasting and drilling.
SE Red River Crabgrass	50	UT	5 to 8	Red River crabgrass coated for ease with broadcasting and drilling.
Mojo Crabgrass	25	ΥJ	5 to 8	Improved coated crabgrass. Now a Red River/Impact blend.
Teff				
	1		I water to the	
Cascade Teff	50	OC	8 to 10	A true forage type teff, very promising variety.

Effective June 1, 2022



Peredovik Sunflowers	50	UT	25 to 35	A tall growing variety with multiple, smaller flowers
VNS Buckwheat	50	UT	50 to 70	A quick to establish and quick to flower crop. Great for fast cover or as a nurse
VIVO Buckwireat	30	ORG	51 to 70	crop. May reseed itself.
Lifago Buckwheat	<del>55</del>	UT	25 to 35	A small-seeded buckwheat with later maturity.
Clemson Spineless 80 Okra	50	UT	10 to 15	Claw root cover crop
Baldy' Safflower	<del>50</del>	UŦ	15 to 20	Summer annual cover crop. Spineless variety

WARM SEASON ANNUA	L LEG	UME:	S	
	Wt.		Seed Rate	Comment
Iron Clay Cowpeas +	50	UT	25 to 50	Vining type summer annual legume. Great for mixtures
Red Ripper Cowpeas +	50	UT	<del>25 to 50</del>	Grazing variety cowpea with good regrowth
Mung Beans +	<del>50</del>	UŦ	<del>15 to 20</del>	A substitute for cowpeas. Less vining characteristics, but similar yield.
	2K	UŦ		
Sunn Hemp +	50	UT	15 to 30	High yielding summer annual legume.
Laredo Soybean +	140K	UT	140K to 175K	Hay/Forage type bean untreated.
Tyrone Forage Xtreme	140K	UT	140K to 175K	140K Forage Soybean.
Derry Forage Soybean +	140K	ΨŦ	140K to 175K	High yielding, heavy rooted legume. Great for land reclamation.
Titan Forage RR Soybean +	140K	UT	140K to 175K	140K size Group 7 Roundup Ready forage soybean for wildlife.
Legend Pasture Mix Lespedeza+	<del>50</del>	UT	<del>20 to 25</del>	Variety mixture- Legend and Korean-
Wildlife Forages				Designed to attract and feed wildlife.
Opening Day+	50	UT	50	Forage soybeans, cowpeas, sunflower, buckwheat, sorghum sudan mix.
Habitat+	25	UT	25	Sunn hemp, brown top millet, bayou kale mix.
Chufa (nutsedge)	50	UT	25 to 35	A perennial sedge for attracting and feeding turkeys and other fowl.
Egyptian wheat	50	LIT	15 to 25	A mombor of the correlating families and found 0.4004.

Turf & Reclamation				Erosion control
	L	.1	13 10 20	20ganio printany for attracting withine.
	55	UT	15 to 20	Legume primarily for attracting wildlife.
<del>Egyptian wheat</del> Lab Lab	50	UT	15 to 25	A member of the sorghum family, gets from 8 12ft tall.

Seed Stimulants - Myco Seed Treat (MST) is OMRI approved.				
Myco Seed Treat (MST)	1 lb.	2 to 8 oz. per 100lb. of seed An all natural non-GMO seed treatment that increases		
Myco Seed Treat (MST)	5 lb.	seedling vigor and overall plant health through a healthier root zone.		

Seed Inoculants					
N-Dure Alfa/Clover Inoculant	Pkg	For seed that was not preinnoculated or coated. Treats 50# of clover or alfalfa. Code # 3077			
N-Dure Pea/Vetch Inoculant	Pkg	For seed that was not Preinnoculated or coated. Treats 100# of seed. Code #3070			
N-Dure Peanut Inoculant	Pkg	For use on Cow Peas, Sunn Hemp, and Lespedeza. Treats 100# of seed. Code # 3080			
Prevail Alf/Clover Inoculant	Pkg	Treats 100# of clover/alfalfa. Code #2372			

All Seeds that are available with a treatment will be shipped WITH TREATMENT (CT) UNLESS ORDERED UNTREATED/OC

Genetically Modified Organism (GMO) Statement:

All seed with the exception of MCT Corn hybrids, SP Roundup Ready soybeans, & Roundup Ready Alfalfa are bred using conventional breeding practices and have not been genetically modified.

## Don't see what you're looking for?

Ask your Southeast rep about special request items. Items in the below categories are available to us through our sister

Effective June 1, 2022



organizations at no extra cost to you.

- Certified Organic
- Native Species (Bluestem, Gammagrass, Dallisgrass, etc)
- Turf and & Reclamation Products.
- Wildflower Mixtures

#### Key for seed coatings and treatments

	Desc
Code	riptio n
	Treat
T	ed
	Untre
UT	ated
T/UT	Available in treated or untreated
CT	Conventional coated- All coated legumes are pre-inoculated.
	Yellow Jacket conventional
YJ	coated
OC	Organic Coated, OMRI listed- All coated legumes are pre-inoculated.
	Safened with Concept III- Dual and Bicep can
S	be applied without damage
	Cruiser or Nipsit provide systemic insect control and safened with are
SS	Concept III
	Indicates BMR
*	trait
+	Recommend inoculant - please request
MST	Myco Seed Treat (MST) is an OMRI approved product that stimulates root zone activity.
	Roun
	dup
	Read
RR	у
YJ/MST	Yellow Jacket Coating and Myco Seed Treated
ORG	Available in certified organic. Ships from PA.

#### **Additional Information**

All seed with the exception of MCT Corn hybrids and SP Roundup Ready soybeans are bred using conventional breeding practices and have not been genetically modified.

<sup>\*\*</sup>CT and YJ are NOT approved for Organic use\*\*

<sup>\*\*</sup>All Seeds that are available in CT, UT or OC should be specified at order